



**DTX-200**  
**FLOPPY DRIVE EMULATOR**  
**3 1/2, 5 1/4 and 8 inches**  
**Floppy drives replacement.**

Most of floppy disk drives are no longer manufactured. Floppy disk manufacture will be stopped in a very near future. The few still manufactured ones use new connection technologies. Therefore, users have to get their floppy disk drives replaced by second hand ones, less and less reliable.

Datastorage, worried about the everlastingness of these systems, has developed the DTX200 floppy drive replacement in order for these customers to recover the reliability and perenity of their device.

**THE DTX200 CAN REPLACE ALL THE FLOPPY DISK DRIVES,**  
**FOR EXAMPLE :**



8 inches DRIVES : SHUGART SA850, CDC BRB8A, YE DATA...

5 1/4 inches DRIVES :

- Full height : SHUGART SA400, MPI 92S, TANDON TM100...

- Semi-height : TEAC (FD-05xx, FD-55xx, FD-235xx), EPSON (SD-681L), ...

3 1/2 inches DRIVES : ALPS (AL FD 7xx), PANASONIC (JU-25xxx), SONY (MPF-520xx, MPF-920xx), YE DATA : YD-702D...

And all other Floppy disk drives...

- TEAC: FD 235 HF , FD 55GFR

- SONY: SMD 920

- DEC: RX 33, RX50

**YOUR COMPLETELY SAFELY DATA...**

The Datastorage DTX200 use a CFTM card to stock your data. The access are ultra-fast, and the risks of drive failure are almost non-existent, because the DTX200 has no mechanical parts moving. A preventive detection system is incorporated to deal with an eventual failure.

You could use the CFTM card as you used your floppy disk except you can now stock (as an optional extra) the equivalent of up to 64 floppy disks (in option). You will be able to choose the various floppy disks thanks to the addressing reconnaissance, as an optional extra.

### **EASY INSTALLATION**

The Datastorage DTX200 uses as much space as a 3 1/2" floppy disk drive.

It will be mechanically adapted for your larger ones. The DTX200 is pre-programmed to have the same features with the drive to replace. Each floppy disk drive using a specific connection technology, an adaptation card will be developed for each of your drive. It only has to be connected in place of the replaced drive, in a completely transparent way for your system.

### **OPERATION**

On Systeme:

- IRM X86 INTEL WESTINGHOUSE
- DEC MICROVAX
- NEC PC 98XX

### **RELIABILITY**

You can work with dust environment and vibrations without any trouble.

### **APPLICATIONS**

- Cash register
- Robots
- Plane
- Boat
- Submarine

### **EXTENDED WARRANTY**

The Datastorage DTX200 has a two years warranty with workshop return, whilst the floppy disk drives are no longer repaired.

This document has no contractual value, the products can change at any time without prior notice.

P.A de Villejust – 9, place Marcel REBUFFAT – F-91971 COURTABOEUF 7 CEDEX FRANCE  
tél. +33 (0)1 69 31 01 01 – fax. +33 (0)1 69 31 01 10 – e-mail: [bienvvenue@datex.fr](mailto:bienvvenue@datex.fr) – site web: [www.datex.fr](http://www.datex.fr)  
S.A.S. Au capital de 160.000€ - R.C.S EVRY 331 142 018 – SIRET 331 142 018 00026 – NAF 725Z – Int.TVA n°FR 81  
331 142 018